



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/707,850

01/16/2004

Fabien LORANGER

51624.2

1849

22828 7590 11/20/2007
EDWARD YOO C/O BENNETT JONES
1000 ATCO CENTRE
10035 - 105 STREET
EDMONTON, ALBERTA, AB T5J3T2
CANADA

EXAMINER

PEDDER, DENNIS H

ART UNIT

PAPER NUMBER

3612

MAIL DATE

DELIVERY MODE

11/20/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10707850	1/16/04	LORANGER, FABIEN	51624.2

EDWARD YOO C/O BENNETT JONES
1000 ATCO CENTRE
10035 - 105 STREET
EDMONTON, ALBERTA, CANADA T5J3T2

EXAMINER

Dennis H.. Pedder

ART UNIT	PAPER
----------	-------

3612

20071119

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

Please see attached letter.

Dennis H. Pedder
Primary Examiner
Art Unit: 3612

Response to Amendment

1. The reply filed on 11/14/2007 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): Applicant amended the claims on 10/14/2007 in an incorrect manner. In spite of this deviation, the claims were examined as amended in order to expedite prosecution on 8/14/2007. The amendment of 11/14/2007 changes the claim numbering in a manner that not only is incorrect per Rule 121, but changes the claim identifiers once again with incorrect claim identifiers. For example, claim 14 is not previously presented and claim 2, etc. is not original. Because the examiner overlooked the original deviation from the rules and acted thereon, that claim numbering is to be carried forward in this application to avoid extensive confusion. See 37 CFR 1.111. Accordingly, the amendment of 11/14/2007 is **not entered** in total. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. **EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).**


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dennis H. Pedder whose telephone number is (571) 272-6667. The examiner can normally be reached on 5:30-2:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn D. Dayoan can be reached on (571) 272-6659. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number:
10/707,850
Art Unit: 3612

Page 3

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Dennis H. Pedder
Primary Examiner
Art Unit 3612

11/19/07

DHP
11/19/2007